

# ViewSonic ePoster EP5542

All-in-One Digital ePoster

**ViewSonic®**


Uber-sleek and slim, the freestanding ViewSonic EP5542 is the ideal digital ePoster kiosk for high-impact visual messaging. Designed with a scratch-proof glass faceplate for added durability, it delivers unsurpassable visibility regardless of dust or ambient light, projecting crisp, vivid images and videos to engage the crowd.

## Engage your Audience

Exceptional picture quality, with superb processing power via a built-in quad-core media player and backed up by built-in speakers.

## Easy to install

Effortless intergrated device and content management. Slim, freestanding design for modern settings, blending seamlessly into any environment, while able to throw out engaging content to your crowd.



## Remotely Maintain

Total remote control with RS232 commands within local area network. Manage content and multiple devices wherever via the vController app integrated with RS232 and LAN command.

# View~Sonic

## Perfect picture quality



With exceptional 4K Ultra HD resolution, this sleek display delivers immersive, audience engaging images, enhanced with a scratch-proof, anti-glare 3H tempered glass faceplate, delivering an impactful viewing experience regardless of ambient light year after year.

## Built for complete security



The ePoster kiosk comes with a lockable door that allows you to hold an additional PC or media player securely. Integrated with a built-in power supply, you can charge the additional device without the need of external outlets or fussy cables.

## Convenient connectivity and playback



Deliver compelling content instantly with an effortless plug-and-play method. Store your images, videos, and music onto your portable USB drive and connect it to the ePoster for instantaneous playback.

## Streamlined device management



Using a user-friendly on-screen interface, manage connected devices efficiently with the intuitive vController™ software, enabling easy scheduling and OSD control capabilities, such as on-and-off settings, audio, and display signal source.

# ViewSonic EP5542

## Powerful Performance



Experience superb performance from a quad-core processor and 16GB storage, boasting seamless content playback without external devices. Plus ViewSonic Embedded Signage Platform offers easy development and capability with multiple web formats and secured protection.

## Timed to your convenience



Schedule captivating photos and videos to your preferred time and date with a user-friendly interface. Available conveniently onscreen, you can fix the device's operation hours and content playback period at the tips of your fingers.



# Product Specification

## Display

<b>Panel Size</b>	55"
<b>Panel Type</b>	TFT LCD (VA type, DLED Backlight)
<b>Display Area</b>	H1209.6 mm x V680.4 mm
<b>Aspect Ratio</b>	9:16
<b>Resolution</b>	UHD 2160 x 3840 pixels
<b>Colours</b>	1.07B
<b>Brightness</b>	450 nits (typ.)
<b>Contrast Ratio</b>	1300:1 (typ.)
<b>Response Time</b>	9.0ms (typ. G to G)
<b>Viewing Angles</b>	H = 178, V=178 typ
<b>Backlight Life</b>	30,000 Hours (Typ)
<b>Surface Treatment</b>	Anti-glare 3H, Haze = 2%
<b>Orientation</b>	Portrait

## LAN

<b>RJ45</b>	x 1
-------------	-----

## USB

<b>Type A</b>	x 3 (2.0)
---------------	-----------

## Speakers

<b>Type A</b>	10W x 2
---------------	---------

## Android Version

8

# ViewSonic EP5542

## Input

<b>HDMI</b>	x 3 (Type 2.0)
<b>RGB / VGA</b>	x 1
<b>Display Port</b>	x 1 (1.2)
<b>Audio</b>	x 1 PC Audio in (3.5 mm)
<b>RS232</b>	x 1

## Output

<b>Audio</b>	x 1 (Earphone out)
<b>SPDIF</b>	x 1 (Optical)

## Compatibility

<b>RGB PC/HDMI PC</b>	1920 x 1080 @ 60Hz
<b>HDMI</b>	2160 x 3840 @ 60Hz
<b>Display Port</b>	2160 x 3840 @ 60Hz

## Multimedia

<b>Image</b>	JPG, BMG, PNG
<b>Video</b>	MP4, MOV, MKV, DAT, MPG, MPEG, AVI, TS, WMV, RM, RMVB
<b>Audio</b>	MP3, WAV, AAC

## Power

<b>Voltage</b>	100 - 240VAC +/- 10% Wide Range
<b>Consumption</b>	126W (Normal), 149W (Max.), < 0.5W (Off)

# Product Specification

## Operating Conditions

**Temperature** 0°C - 40°C  
**Humidity** 20% ~ 80% non-condensing

## Dimensions

**Physical** W768.51 mm x H1870 mm x D450 mm  
**Packaging** W970 mm x H2034 mm x D609 mm

## Weight

**Net** 62.7kg  
**Gross** 74.7kg

## Regulations

cTUVus, FCC, Energy Star 8.0, CE CB, RoHS,  
ErP, EEI, WEEE, BSMI

## Bundle Software

Revel Digital  
SureMDM (license sold separately)

## Package Contents

Power Cord  
Remote control with battery  
Quick Start Guide  
Key

# ViewSonic EP5542

